Integrating Multi-Platform Satellite Soil Moisture and Evapotranspiration Retrievals to Constrain Water and Energy Balance Coupling

Wade T. Crow, Fangni Lei, Martha C. Anderson Hydrology and Remote Sensing Laboratory, USDA ARS

Thomas R. H. Holmes
Hydrological Sciences Laboratory, NASA GSFC


Christopher Hain
Earth Science Office, NASA MSFC




October 15-19, 2018


MODIS/VIIRS Science Team Meeting

MODIS Land Science Analysis





Motivation – Water and Energy Balance Coupling




Motivation – Multi-Platform Remote Sensing

- Meteorological Information
 - ✓ Solar insolation
 - ✓ Precipitation
 - **✓ Atmospheric temperature**
 - ✓ Wind speed
 - **✓** Humidity

•

- Land Surface Characteristics
 - ✓ Soil moisture
 - **✓** Land surface temperature
 - **✓** Leaf area index
 - ✓ Landcover type

...



Multi-platform satellite soil moisture and evapotranspiration products

Motivation – Improving the Understanding

Here comes the question...



Are current land surface models accurate in characterizing the relation between soil moisture and evapotranspiration?

Key challenge:



Coupling estimates obtained from (relatively noisy) satellite retrievals are biased.


Our approach:



Obtain unbiased, observation-based global estimates of true coupling by integrating multi-platform soil moisture and evapotranspiration retrievals




Atmosphere-Land Exchange Inverse




Global (25km) Continental Hourly Regional (5km) Airborne (USU aircraft) emperature (C)

[Anderson et al., 2011]




***** MW-LST retrievals from Ka-band satellite sensors




[Holmes et al., 2015]

Cumulative - Clear Sky - Evapotranspiration (mm) 2004




Multi-Platform Land Products – Soil Moisture


ESA CCI merged passive microwave soil moisture



MetOp-A/B ASCAT active microwave soil moisture




Multi-Platform Land Products – Soil Moisture



A Unified Approach to Integrate Products

Triple collocation-based coupling strength metric



[Crow et al., 2015]


Discrepancy among Land Surface Models

Global Land Data Assimilation System


- Noah v3.3
- Community Land Model (CLM) v2.0
- Variable Infiltration Capacity (VIC)
- Catchment Land Surface Model (CLSM) F2.5




$R^2[SM_{LSM}ET_{LSM}]$



Direct coupling from multi-platform and LSMs




Integrated multi-platform based coupling




Benchmarking Land Surface Models

Biases in LSMs with regard to triple collocation-based estimates



Benchmarking Land Surface Models



Key Science Highlights

Here come the answers...



Large discrepancies exist among various land surface models




Published on Water Resources Research

F. Lei, W. T. Crow, T. R. H. Holmes, C. Hain, M. C. Anderson (2018), Global Investigation of Soil Moisture and Latent Heat Flux Coupling Strength, Water Resources Research, doi:10.1029/2018WR023469

On-going Development

ALEXI

TIR-LST




MW-LST



Land Surface Model

Noah-MP (modular)



from offline to coupled

CMIP5/6 LS3MIP

